

Department of Defense Standardization Program



ASSIST UPDATE

(A bi-monthly summary of changes to the ASSIST document database)

1 April 2009

(For the Period 15 March 2009 to 31 March 2009)

ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of “N” or “M” to describe the last action taken on a listed document.

“N” indicates that a “new” document has been entered into the ASSIST database.

“M” indicates that a document already in ASSIST has been “modified” in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <http://assist.daps.dla.mil> for the most current information.

If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <http://assist.daps.dla.mil/online/registration/registration.cfm>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <http://assist.daps.dla.mil/online/news/AlertService.htm>.

ACTIVE SECTION

ASSIST UPDATE

| LAST ACTION | DOCUMENT NUMBER | DOCUMENT TITLE | DISTRIBUTION | FSC/AREA | MCA | PREP ACTY | DATE |
|-------------|----------------------|--|--------------|----------|-----|-----------|-------------|
| M | QPL-17000-39 NOT 1 | Switching Equipment, Combat System, Command and Control, Fire Control, and Interior Communication, General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information) | A | 1290 | | SH | 16-MAR-2009 |
| M | MIL-PRF-46750E NOT 2 | Transmission, Cross Drive, Hydrodynamic, Model XTG411 [CUST: AT] | A | 2520 | | AT | 18-MAR-2009 |
| M | A-A-52410 NOT 2 | Boot, Dust and Moisture Seal: Hydraulic Brake Cylinder, Synthetic Rubber [CUST: AT] [REVIEW: CC MI] | A | 2530 | / | AT | 19-MAR-2009 |
| M | A-A-52485A NOT 2 | Valve, Relay Emergency: Breakaway Air Brake [CUST: AT MC 99] [REVIEW: 84 CC MI] | A | 2530 | / | AT | 19-MAR-2009 |
| M | A-A-52522B NOT 2 | Lining Brake, and Lining Material Brake: Automotive (Metric) [CUST: AT 99] [REVIEW: CC] | A | 2530 | / | AT | 18-MAR-2009 |
| M | A-A-52507 NOT 2 | Chain Assembly and Cross Chain, Tire: for Military Vehicles [CUST: AT 99] [REVIEW: 84 CC] | A | 2540 | / | AT | 19-MAR-2009 |
| M | A-A-52513 NOT 2 | Bracket Assembly, Liquid Container, Five Gallon [CUST: AT] [REVIEW: CC CR4] | A | 2590 | / | AT | 19-MAR-2009 |
| M | A-A-52525A NOT 2 | Horns and Buzzers, Air-and Electrically-Actuated [CUST: AT MC 99] [REVIEW: 84 CC] | A | 2590 | / | AT | 18-MAR-2009 |
| M | A-A-52611 NOT 2 | Valves and Valves Spuds, Caps, and Cores, Pneumatic Tire [CUST: AT YD 99] [REVIEW: 84 AS CC CG MC] | A | 2640 | / | AT | 18-MAR-2009 |
| M | A-A-52521 NOT 2 | Filler Neck: Radiator (Metric) [CUST: AT 99] [REVIEW: 70 CC MC SH] | A | 2930 | / | AT | 18-MAR-2009 |
| M | MIL-PRF-62048C NOT 2 | Air Cleaners, Automotive: Heavy Duty, Dry-Type (For Internal Combustion Engines) (Metric) [CUST: AT CC] | A | 2940 | | AT | 18-MAR-2009 |
| M | MIL-PRF-62412B NOT 2 | Pump Assembly, Oil, Starting Engine [CUST: AT MC] | A | 2990 | | AT | 18-MAR-2009 |
| M | A-A-52422 NOT 2 | Belts, V: Industrial Drive, Narrow Type [CUST: CR4 99] [REVIEW: 71 CR MC] | A | 3030 | / | AT | 19-MAR-2009 |
| M | A-A-52491 NOT 2 | Bearing, Ball, Thrust: Inch and Metric Sizes, Grooved Race Surface Rigid or Flat Seat Type [CUST: AT 99] [REVIEW: 84 AR GS IS MC MI] | A | 3110 | / | AT | 19-MAR-2009 |
| M | A-A-52535 NOT 2 | Drill, Pneumatic, Sinkers, Rock [CUST: AT YD] [REVIEW: CC CE MC] | A | 3820 | / | AT | 18-MAR-2009 |
| M | A-A-52599 NOT 2 | Breakers, Paving: Pneumatic (Metric) [CUST: AT YD 99] [REVIEW: 84 CC MC] | A | 3820 | / | AT | 18-MAR-2009 |
| M | A-A-52533 NOT 2 | Trucks, Hand, Platform, Four Wheeled, Tilt and Non-Tilt, Solid Rubber Tires or Plastic Tires (Metric) [CUST: AT SA 99] [REVIEW: 84 GS IS MC SH YD] | A | 3920 | / | AT | 18-MAR-2009 |
| M | A-A-52471D NOT 2 | Extinguisher, Fire, CO2 2-1/2-Pound, with Bracket [CUST: AT 99] [REVIEW: IS] | A | 4210 | / | AT | 19-MAR-2009 |
| M | A-A-58004C | Truck, Fire Fighting, Water Tanker, 4,000 Gallon Capacity [CUST: 84] [REVIEW: IS] | A | 4210 | / | 84 | 27-MAR-2009 |
| M | A-A-59818A | Truck, Fire Fighting (Aircraft Rescue) (A/S32P-34-Rapid Intervention Vehicle) [CUST: 84] | A | 4210 | / | 84 | 13-MAR-2009 |
| M | MIL-PRF-51560C(2) | Canister, Chemical-Biological Mask: C2A1 [CUST: EA] | X | 4240 | | EA | 20-MAR-2009 |
| M | A-A-52027 NOT 2 | Pumping Unit, Frame Mounted, 1-1/2 Inch, Electric Motor Driven, 35 GPM at 25 Feet Total Head [CUST: AT] | A | 4320 | / | AT | 19-MAR-2009 |
| M | MIL-DTL-6000D(1) | Hose, Rubber, Aircraft, Fuel, Oil, Coolant, Water, and Alcohol [CUST: AT AS 99 CC] [REVIEW: 71 CG CR4 MC MI SA] | A | 4720 | | CC | 19-MAR-2009 |
| M | MS28759D(1) | Hose Assembly, Rubber, Hydraulic 3,000 PSI, Straight to Straight, Flared Tube Field Attachable [CUST: AT AS 99 CC] [REVIEW: 71 AV MI SA] | A | 4720 | | CC | 19-MAR-2009 |
| M | A-A-52546 NOT 2 | Hose, Preformed:Semi-Flexible, Reinforced [CUST: AT] [REVIEW: CC CD] | A | 4720 | / | AT | 18-MAR-2009 |
| M | A-A-52546/1 NOT 2 | Hose, Preformed, Air Cleaner, Semi-Flexible, Heavy Duty 517 Kilopascals (75 PSI) Burst [CUST: AT MC] [REVIEW: CC] | A | 4720 | / | AT | 18-MAR-2009 |
| M | A-A-52484 NOT 2 | Coupler, Automotive Air Brake Line: Quick-Disconnect [CUST: AT 99] [REVIEW: 71 CC CR4 MC MI] | A | 4730 | / | AT | 19-MAR-2009 |
| M | A-A-52592 NOT 2 | Pipe Fittings: One or more Ends Grooved [CUST: AT MC] [REVIEW: CC] | A | 4730 | / | AT | 18-MAR-2009 |
| M | QPL-32307 NOT 2 | Valve, Quarter Turn, Triple-Offset, Torque Seated, Shipboard Use (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information) | A | 4820 | | SH | 24-MAR-2009 |
| M | A-A-52486 NOT 2 | Mount, Shipping Container, Resilient: Shock and Vibration Damping [CUST: AT] [REVIEW: IS] | A | 5340 | / | AT | 19-MAR-2009 |
| M | A-A-52152A NOT 2 | Insulation Sleaving, Thermal,Tubular (Metric) [CUST: AT] [REVIEW: IS SM] | A | 5640 | / | AT | 18-MAR-2009 |
| M | A-A-52169B NOT 2 | Insulation; Sound, Vibration, and Thermal [CUST: AT] [REVIEW: IS] | A | 5640 | / | AT | 18-MAR-2009 |
| M | A-A-52473 NOT 2 | Insulation, Floor-Mat, Thermal-Barrier [CUST: AT] | A | 5640 | / | AT | 19-MAR-2009 |
| M | A-A-55517/3B NOT 1 | Resistor, Fixed, Carbon Film, 1/2 Watt [CUST: EC CC] | A | 5905 | / | CC | 23-MAR-2009 |
| M | A-A-55534A NOT 1 | Resistor, Fixed, Power Type (Very Low Resistance Values), General Requirements for [CUST: EC CC] | A | 5905 | / | CC | 23-MAR-2009 |
| M | A-A-55534/1A NOT 1 | Resistors, Fixed, Wire Wound or Metal Element, (Power Type) Style VLV1 [CUST: EC CC] | A | 5905 | / | CC | 23-MAR-2009 |
| M | A-A-55534/2B NOT 1 | Resistors, Fixed, Chip, Very Low Values (Power Type), Style VLV1206 [CUST: EC CC] | A | 5905 | / | CC | 23-MAR-2009 |
| M | A-A-55534/3A NOT 1 | Resistors, Fixed, Wire Wound or Metal Element, (Power Type) Style VLV3 [CUST: EC CC] | A | 5905 | / | CC | 23-MAR-2009 |
| M | A-A-55534/4A NOT 1 | Resistors, Fixed, Wire Wound or Metal Element, (Power Type) Style VLV5 [CUST: EC CC] | A | 5905 | / | CC | 23-MAR-2009 |
| M | A-A-55534/5A NOT 1 | Resistors, Fixed, Wire Wound or Metal Element, (Power Type) Style VLV7 [CUST: EC CC] | A | 5905 | / | CC | 23-MAR-2009 |
| M | A-A-55534/6A NOT 1 | Resistors, Fixed, Wire Wound or Metal Element, (Power Type) Style VLV10 [CUST: EC CC] | A | 5905 | / | CC | 23-MAR-2009 |
| M | A-A-55534/7B NOT 1 | Resistors, Fixed, Chip, Very Low Values (Power Type), Style VLV2010 [CUST: EC CC] | A | 5905 | / | CC | 23-MAR-2009 |
| M | A-A-55534/8B NOT 1 | Resistors, Fixed, Chip, Very Low Values (POWER TYPE), Style VLV2512 [CUST: EC CC] | A | 5905 | / | CC | 23-MAR-2009 |
| M | A-A-55534/9A NOT 1 | Resistors, Fixed, Wirewound or Metal Element, (Power Type) Style VLV2 [CUST: EC CC] | A | 5905 | / | CC | 23-MAR-2009 |
| M | A-A-55564/3B NOT 1 | Resistor, Voltage Sensitive (Varistor), Metal Oxide, Radial Lead [CUST: EC CC] | A | 5905 | / | CC | 23-MAR-2009 |
| M | A-A-59714A NOT 1 | Resistors, Thermal, Non-Linear Thermistor (Resettable Fuses), General Requirements for [CUST: EC CC] | A | 5905 | / | CC | 23-MAR-2009 |
| M | A-A-59714/1A NOT 1 | Resistor, Thermal, Non-Linear Thermistor (Resettable Fuse) Radial Leaded, Style RUE [CUST: EC CC] | A | 5905 | / | CC | 23-MAR-2009 |
| M | A-A-59714/2A NOT 1 | Resistor, Thermal, Non-Linear Thermistor (Resettable Fuse) Radial Leaded, Style RXE [CUST: EC CC] | A | 5905 | / | CC | 23-MAR-2009 |
| M | A-A-59714/3A NOT 1 | Resistor, Thermal, Non-Linear Thermistor (Resettable Fuse) Radial Leaded, Style TR [CUST: EC CC] | A | 5905 | / | CC | 23-MAR-2009 |
| M | MIL-PRF-19978K SUP 1 | Capacitors, Fixed, Plastic (or Paper-Plastic) Dielectric (Hermetically Sealed in Metal, Ceramic or Glass Cases), Established and Non-Established Reliability General Specification for [CUST: CR EC 85 CC] [REVIEW: 19 71 99 MC] | A | 5910 | | CC | 26-MAR-2009 |
| M | MIL-PRF-19978/11C | Capacitors, Fixed, Plastic (or Paper-Plastic) Dielectric, Axial-Wire Threaded-Stud Retainer, Tubular (Uninsulated) (Hermetically Sealed in Metal Cases), Established Reliability, Style QQR13 [CUST: CR EC 85 CC] [REVIEW: 19 99 MC] | A | 5910 | | CC | 26-MAR-2009 |
| M | MIL-PRF-19978/22B | Capacitors, Fixed, Plastic Dielectric, Axial-Wire Terminal, Tubular (Insulated) (Hermetically Sealed in Metal Cases), Established Reliability, Style QQR44 [CUST: CR EC 85 CC] [REVIEW: 19 99 MC] | A | 5910 | | CC | 26-MAR-2009 |
| M | MIL-PRF-83421/1D | Capacitors, Fixed, Metallized Plastic Film Dielectric, DC and AC, Hermetically Sealed in Metal Cases, Established Reliability Styles CRH01, CRH02, CRH03, CRH04, CRH05, CRH06, CRH07, CRH08, CRH09, and CRH00 [CUST: CR EC 85 CC NA] [REVIEW: 19 AR AS MC OS SH] | A | 5910 | | CC | 27-MAR-2009 |

ASSIST UPDATE

01-APR-2009

ASSIST UPDATE

01-APR-2009

ASSIST UPDATE

01-APR-2009

CANCELED SECTION

ASSIST UPDATE

| LAST ACTION | | | DISTRIBUTION | FSC/AREA | MCA | PREP ACTY | DATE |
|-------------|-----------------|--|--------------|----------|-----|-----------|-------------|
| | DOCUMENT NUMBER | DOCUMENT TITLE | | | | | |
| M | A-A-50558 NOT 1 | Valves, Pressure Regulating, Steam (No S/S Document) [CUST: YD CC] | A | 4820 | / | CC | 24-MAR-2009 |
| M | A-A-50559 NOT 1 | Valves, Temperature-Regulating (Thermostatically Controlled) (No S/S Document) [CUST: YD CC] [REVIEW: SH] | A | 4820 | / | CC | 24-MAR-2009 |
| M | MS24513F NOT 2 | Lamp, Incandescent, Single Contact Bayonet Indexing Candelabra, GG-12B1 Bulb (S/S by MIL-DTL-6363/3) [CUST: AV AS 99 GS2] [REVIEW: 7I CR] | A | 6240 | | GS2 | 16-MAR-2009 |
| M | ASTM-D1533 | Water in Insulating Liquids by Coulometric Karl Fischer Titration Standard Test Method for (No S/S Document) [CUST: CR4 AS 68 GS3] [REVIEW: MC MD OS SH] | A | 6810 | | GS3 | 19-MAR-2009 |
| M | ASTM-D2330 | Substances, Methylene Blue Active, Standard Test Method for (No S/S Document) [CUST: GL OS GS3] [REVIEW: CR4 MD SH] | A | 6810 | | GS3 | 12-MAR-2009 |
| M | ASTM-D2580 | Phenols in Water by Gas-Liquid Chromatography (No S/S Document) [CUST: GL 68 GS3] [REVIEW: CR4 MD] | A | 6810 | | GS3 | 26-MAR-2009 |
| M | ASTM-D1405 | Estimation of Net Heat of Combustion of Aviation Fuels (No S/S Document) [CUST: MR SH 11] [REVIEW: 68 AR AS] | A | 91GP | | MR | 23-MAR-2009 |
| M | ASTM-E8M | Materials, Metallic, Tension Testing of (Metric) (S/S by ASTM-E8/E8M) [CUST: MR AS 99] [REVIEW: AT CR4 SH] | A | 95GP | | MR | 25-MAR-2009 |
| M | ASTM-E8 | Materials, Metallic, Tension Testing of (S/S by ASTM-E8/E8M) [CUST: MR AS 99] [REVIEW: AT CR4 IS SH YD] | A | 95GP | | MR | 25-MAR-2009 |
| M | SAE-AMS-STD-66 | Steel: Chemical Composition and Hardenability (S/S by SAE-AIR4127) [CUST: MR AS 11] | A | 95GP | | MR | 19-MAR-2009 |
| M | SAE-HIR1559 | Pneumatic Systems, Bleed-Air, for Gas Turbine Equipped Marine and Amphibious Craft (S/S by SAE-J1775) [CUST: CR4 SH] [REVIEW: MC] | A | SESS | | SH | 24-APR-2008 |